the applicable health and safety guidelines cited in §1.1307(b).

[51 FR 15000, Apr. 22, 1986, as amended at 51 FR 18889, May 23, 1986; 53 FR 28393, July 28, 1988; 56 FR 13414, Apr. 2, 1991; 64 FR 19061, Apr. 19, 1999]

#### § 1.1307 Actions that may have a significant environmental effect, for which Environmental Assessments (EAs) must be prepared.

- (a) Commission actions with respect to the following types of facilities may significantly affect the environment and thus require the preparation of EAs by the applicant (see §§1.1308 and 1.1311) and may require further Commission environmental processing (see §§1.1314, 1.1315 and 1.1317):
- (1) Facilities that are to be located in an officially designated wilderness area.
- (2) Facilities that are to be located in an officially designated wildlife preserve.
- (3) Facilities that: (i) May affect listed threatened or endangered species or designated critical habitats; or (ii) are likely to jeopardize the continued existence of any proposed endangered or threatened species or likely to result in the destruction or adverse modification of proposed critical habitats, as determined by the Secretary of the Interior pursuant to the Endangered Species Act of 1973.

NOTE: The list of endangered and threatened species is contained in 50 CFR 17.11, 17.22, 222.23(a) and 227.4. The list of designated critical habitats is contained in 50 CFR 17.95, 17.96 and part 226. To ascertain the status of proposed species and habitats, inquiries may be directed to the Regional Director of the Fish and Wildlife Service, Department of the Interior.

(4) Facilities that may affect districts, sites, buildings, structures or objects, significant in American history, architecture, archeology, engineering or culture, that are listed, or are eligible for listing, in the National Register of Historic Places. (See 16 U.S.C. 470w(5); 36 CFR 60 and 800.)

NOTE: The National Register is updated and re-published in the FEDERAL REGISTER each year in February. To ascertain whether a proposal affects a historical property of national significance, inquiries also may be made to the appropriate State Historic Pres-

ervation Officer, see 16 U.S.C. 470a(b); 36 CFR parts 63 and 800.

- (5) Facilities that may affect Indian religious sites.
- (6) Facilities to be located in a flood Plain (See Executive Order 11988.)
- (7) Facilities whose construction will involve significant change in surface features (e.g., wetland fill, deforestation or water diversion). (In the case of wetlands on Federal property, *see* Executive Order 11990.)
- (8) Antenna towers and/or supporting structures that are to be equipped with high intensity white lights which are to be located in residential neighborhoods, as defined by the applicable zoning law
- (b) In addition to the actions listed in paragraph (a) of this section, Commission actions granting construction permits, licenses to transmit or renewals thereof, equipment authorizations or modifications in existing facilities, require the preparation of an Environmental Assessment (EA) if the particular facility, operation or transmitter would cause human exposure to levels of radiofrequency radiation in excess of the limits in §§1.1310 and 2.1093 of this chapter. Applications to the Commission for construction permits, licenses to transmit or renewals thereof, equipment authorizations or modifications in existing facilities must contain a statement confirming compliance with the limits unless the facility, operation, or transmitter is categorically excluded, as discussed below. Technical information showing the basis for this statement must be submitted to the Commission upon request. Such compliance statements may be omitted from license applications for transceivers subject to the certification requirement in §25.129 of this chapter.
- (1) The appropriate exposure limits in §§1.1310 and 2.1093 of this chapter are generally applicable to all facilities, operations and transmitters regulated by the Commission. However, a determination of compliance with the exposure limits in §1.1310 or §2.1093 of this chapter (routine environmental evaluation), and preparation of an EA if the limits are exceeded, is necessary only for facilities, operations and transmitters that fall into the categories listed

### § 1.1307

in table 1, or those specified in paragraph (b)(2) of this section. All other facilities, operations and transmitters are categorically excluded from making such studies or preparing an EA, except as indicated in paragraphs (c) and (d) of this section. For purposes of table 1, building-mounted antennas means antennas mounted in or on a building structure that is occupied as a workplace or residence. The term power in column 2 of table 1 refers to total operating power of the transmitting operation in question in terms of effective radiated power (ERP), equivalent isotropically radiated power (EIRP), or peak envelope power (PEP), as defined in §2.1 of this chapter. For the case of the Cellular Radiotelephone Service, subpart H of part 22 of this chapter; the

Personal Communications Service, part 24 of this chapter and the Specialized Mobile Radio Service, part 90 of this chapter, the phrase total power of all channels in column 2 of table 1 means the sum of the ERP or EIRP of all co-located simultaneously operating transmitters owned and operated by a single licensee. When applying the criteria of table 1, radiation in all directions should be considered. For the case of transmitting facilities using sectorized transmitting antennas, applicants and licensees should apply the criteria to all transmitting channels in a given sector, noting that for a highly directional antenna there is relatively little contribution to ERP or EIRP summation for other directions.

TABLE 1—TRANSMITTERS, FACILITIES AND OPERATIONS SUBJECT TO ROUTINE ENVIRONMENTAL EVALUATION

Service (title 47 CFR rule part)	Evaluation required if
Experimental Radio Services (part 5)	Power > 100 W ERP (164 W EIRP)
Multipoint Distribution Service (subpart K of part 21).	Non-building-mounted antennas: height above ground level to lowest point of antenna < 10 m and power > 1640 W EIRP
	Building-mounted antennas: power > 1640 W EIRP MDS licensees are required to attach a label to subscriber transceiver or trans- verter antennas that:
	(1) provides adequate notice regarding potential radiofrequency safety haz- ards, e.g., information regarding the safe minimum separation distance re- quired between users and transceiver antennas; and
	(2) references the applicable FCC-adopted limits for radiofrequency exposure specified in § 1.1310.
Paging and Radiotelephone Service (subpart E of part 22).	Non-building-mounted antennas: height above ground level to lowest point of antenna < 10 m and power > 1000 W ERP (1640 W EIRP)  Building-mounted antennas: power > 1000 W ERP (1640 W EIRP)
Cellular Radiotelephone Service (subpart H of part 22).	Non-building-mounted antennas: height above ground level to lowest point of antenna < 10 m and total power of all channels > 1000 W ERP (1640 W EIRP)
	Building-mounted antennas: total power of all channels > 1000 W ERP (1640 W EIRP)
Personal Communications Services (part 24)	(1) Narrowband PCS (subpart D): non-building-mounted antennas: height above ground level to lowest point of antenna < 10 m and total power of all channels > 1000 W ERP (1640 W EIRP)
	Building-mounted antennas: total power of all channels > 1000 W ERP (1640 W EIRP)
	(2) Broadband PCS (subpart E): non-building-mounted antennas: height above ground level to lowest point of antenna < 10 m and total power of all chan- nels > 2000 W ERP (3280 W EIRP)
	Building-mounted antennas: total power of all channels > 2000 W ERP (3280 W EIRP)
Satellite Communications (part 25)	All included. In addition, for NGSO subscriber equipment, licensees are required to attach a label to subscriber transceiver antennas that:  (1) provides adequate notice regarding potential radiofrequency safety hazards, e.g., information regarding the safe minimum separation distance re-
	<ul> <li>quired between users and transceiver antennas; and</li> <li>(2) references the applicable FCC-adopted limits for radiofrequency exposure specified in § 1.1310 of this chapter.</li> </ul>
General Wireless Communications Service (part 26).	Total power of all channels > 1640 W EIRP
Wireless Communications Service (Part 27)	(1) for the 1390-1392 MHz, 1392-1395 MHz, 1432-1435 MHz 1670-1675 MHz and 2385-2390 MHz bands:
	Non-building-mounted antennas: Height above ground level to lowest point of antenna < 10 m and total power of all channels > 2000 W ERP (3280 W EIRP).

TABLE 1—TRANSMITTERS, FACILITIES AND OPERATIONS SUBJECT TO ROUTINE ENVIRONMENTAL EVALUATION—Continued

Service (title 47 CFR rule part)	Evaluation required if
Radio Broadcast Services (part 73) Experimental, auxiliary, and special broadcast and other program distributional services (part 74).	Building-mounted antennas: Total power of all channels > 2000 W ERP (3280 W EIRP).  (2) for the 698–746 MHz, 746–764 MHz, 776–794 MHz, 2305–2320 MHz, and 2345–2360 MHz bands.  Total power of all channels > 1000 W ERP (1640 W EIRP).  All included  Subparts A, G, L: power > 100 W ERP  Subpart I: non-building-mounted antennas: height above ground level to lowest point of antenna < 10 m and power > 1640 W EIRP  Building-mounted antennas: power > 1640 W EIRP  ITFS licensees are required to attach a label to subscriber transceiver or transverter antennas that:  (1) provides adequate notice regarding potential radiofrequency safety hazards, e.g., information regarding the safe minimum separation distance re-
Stations in the Maritime Services (part 80) Private Land Mobile Radio Services Paging Operations (part 90).  Private Land Mobile Radio Services Specialized Mobile Radio (part 90).	quired between users and transceiver antennas; and (2) references the applicable FCC-adopted limits for radiofrequency exposure specified in § 1.1310.  Ship earth stations only  Non-building-mounted antennas: height above ground level to lowest point of antenna < 10 m and power > 1000 W ERP (1640 W EIRP)  Building-mounted antennas: power > 1000 W ERP (1640 W EIRP)  Non-building-mounted antennas: height above ground level to lowest point of antenna < 10 m and total power of all channels > 1000 W ERP (1640 W EIRP)
Amateur Radio Service (part 97)	Duilding-mounted antennas:  Total power of all channels > 1000 W ERP (1640 W EIRP)  Transmitter output power > levels specified in § 97.13(c)(1) of this chapter  Non-building-mounted antennas: height above ground level to lowest point of antenna <10 m and power>1640 W EIRP  Building-mounted antennas: power > 1640 W EIRP LMDS and 24 GHz Service licensees are required to attach a label to subscriber transceiver antennas that:  (1) provides adequate notice regarding potential radiofrequency safety haz-
70/80/90 GHz Bands (subpart Q of part 101)	(2) references the applicable FCC-adopted limits for radiofrequency safety hazards, e.g., information regarding the safe minimum separation distance required between users and transceiver antennas; and (2) references the applicable FCC-adopted limits for radio-frequency exposure specified in § 1.1310  Non-building-mounted antennas: height above ground level to lowest point of antenna < 10 m and power > 1640 W EIRP.  Building-mounted antennas: power > 1640 W EIRP, licensees are required to attach a label to transceiver antennas that  (1) provides adequate notice regarding potential radiofrequency safety hazards, e.g., information regarding the safe minimum separation distance required between users and transceiver antennas; and  (2) references the applicable FCC-adopted limits for radiofrequency exposure specified in § 1.1310.

(2) Mobile and portable transmitting devices that operate in the Cellular Radiotelephone Service, the Personal Communications Services (PCS), the Satellite Communications Services, the General Wireless Communications Service, the Wireless Communications Service, the Maritime Services (ship earth stations only) and the Specialized Mobile Radio Service authorized under Subpart H of parts 22, 24, 25, 26, 27, 80, and 90 of this chapter are subject to routine environmental evaluation for RF exposure prior to equipment authorization or use, as specified in §§ 2.1091 and 2.1093 of this chapter. Unlicensed PCS, unlicensed NII and millimeter wave devices are also subject to routine environmental evaluation for RF exposure prior to equipment authorization or use, as specified in §§ 15.253(f), 15.255(g), 15.319(i), and 15.407(f) of this chapter. Portable transmitting equipment for use in the Wireless Medical Telemetry (WMTS) is subject to routine environment evaluation as specified in §§ 2.1093 and 95.1125 of this chapter. Equipment authorized for use in the Medical Implant Communications Service (MICS) as a medical implant transmitter (as defined in Appendix 1 to Subpart E of

## § 1.1307

part 95 of this chapter) is subject to routine environmental evaluation for RF exposure prior to equipment authorization, as specified in §2.1093 of this chapter by finite difference time domain computational modeling or laboratory measurement techniques. Where a showing is based on computational modeling, the Commission retains the discretion to request that specific absorption rate measurement data be submitted. All other mobile, portable, and unlicensed transmitting devices are categorically excluded from routine environmental evaluation for RF exposure under §§ 2.1091, 2.1093 of this chapter except as specified in paragraphs (c) and (d) of this section.

(3) In general, when the guidelines specified in §1.1310 are exceeded in an accessible area due to the emissions from multiple fixed transmitters, actions necessary to bring the area into compliance are the shared responsibility of all licensees whose transmitters produce, at the area in question, power density levels that exceed 5% of the power density exposure limit applicable to their particular transmitter or field strength levels that, squared, exceed 5% of the square of the electric or magnetic field strength limit applicable to their particular transmitter. Owners of transmitter sites are expected to allow applicants and licensees to take reasonable steps to comply with the requirements contained in §1.1307(b) and, where feasible, should encourage co-location of transmitters and common solutions for controlling access to areas where the RF exposure limits contained in §1.1310 might be exceeded.

(i) Applicants for proposed (not otherwise excluded) transmitters, facilities or modifications that would cause non-compliance with the limits specified in §1.1310 at an accessible area previously in compliance must submit an EA if emissions from the applicant's transmitter or facility would result, at the area in question, in a power density that exceeds 5% of the power density exposure limit applicable to that transmitter or facility or in a field strength that, when squared, exceeds 5% of the square of the electric or magnetic field strength limit applicable to that transmitter or facility.

(ii) Renewal applicants whose (not otherwise excluded) transmitters or facilities contribute to the field strength or power density at an accessible area not in compliance with the limits specified in §1.1310 must submit an EA if emissions from the applicant's transmitter or facility results, at the area in question, in a power density that exceeds 5% of the power density exposure limit applicable to that transmitter or facility or in a field strength that, when squared, exceeds 5% of the square of the electric or magnetic field strength limit applicable to that transmitter of facility.

(4) Transition Provisions. Applications filed with the Commission prior to October 15, 1997 (or January 1, 1998, for the Amateur Radio Service only), for construction permits, licenses to transmit or renewals thereof, modifications in existing facilities or other authorizations or renewals thereof require the preparation of an Environmental Assessment if the particular facility, operation or transmitter would cause human exposure to levels of radiofrequency radiation that are in excess of the requirements contained in paragraphs (b)(4)(i) through (b)(4)(iii) of this section. In accordance with §1.1312, if no new application or Commission action is required for a licensee to construct a new facility or physically modify an existing facility, e.g., geographic area licensees, and construction begins on or after October 15, 1997, the licensee will be required to prepare an Environmental Assessment if construction or modification of the facility would not comply with the provisions of paragraph (b)(1) of this section. These transition provisions do not apply to applications for equipment authorization or use for mobile, portable and unlicensed devices as specified in paragraph (b)(2) of this section.

(i) For facilities and operations licensed or authorized under parts 5, 21 (subpart K), 25, 73, 74 (subparts A, G, I, and L), and 80 of this chapter, the "Radio Frequency Protection Guides" recommended in "American National Standard Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 300 kHz to 100 GHz", (ANSI C95.1-1982),

issued by the American National Standards Institute (ANSI) and copyright 1982 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York shall apply. With respect to subpart K of part 21 and subpart I of part 74 of this chapter, these requirements apply only to multipoint distribution service and instructional television fixed service stations transmitting with an equivalent isotropically radiated power (EIRP) in excess of 200 watts. With respect to subpart L of part 74 of this chapter, these requirements apply only to FM booster and translator stations transmitting with an effective radiated power (ERP) in excess of 100 watts. With respect to part 80 of this chapter, these requirements apply only to ship earth stations.

- (ii) For facilities and operations licensed or authorized under part 24 of this chapter, licensees and manufacturers are required to ensure that their facilities and equipment comply with IEEE C95.1-1991 (ANSI/IEEE C95.1-1992), 'Safety Levels With Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz." Measurement methods are specified in IEEE C95.3-1991, "Recommended Practice for the Measurement of Poten-Hazardous Electromagnetic Fields-RF and Microwave." Copies of these standards are available from IEEE Standards Board, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331. Telephone: 1-800-678-4333. The limits for both "controlled" and "uncontrolled" environments, as defined by IEEE C95.1-1991, will apply to all PCS base and mobile stations, as appropriate.
- (iii) Applications for all other types of facilities and operations are categorically excluded from routine RF radiation evaluation except as provided in paragraphs (c) and (d) of this section.
- (5) Existing transmitting facilities, devices and operations: All existing transmitting facilities, operations and devices regulated by the Commission must be in compliance with the requirements of paragraphs (b)(1) through (b)(3) of this section by September 1, 2000, or, if not in compliance,

file an Environmental Assessment as specified in §1.1311.

- (c) If an interested person alleges that a particular action, otherwise categorically excluded, will have a significant environmental effect, the person shall submit to the Bureau responsible for processing that action a written petition setting forth in detail the reasons justifying or circumstances necessitating environmental consideration in the decision-making process. (See §1.1313). The Bureau shall review the petition and consider the environmental concerns that have been raised. If the Bureau determines that the action may have a significant environmental impact, the Bureau will require the applicant to prepare an EA (see §§1.1308 and 1.1311), which will serve as the basis for the determination to proceed with or terminate environmental processing.
- (d) If the Bureau responsible for processing a particular action, otherwise categorically excluded, determines that the proposal may have a significant environmental impact, the Bureau, on its own motion, shall require the applicant to submit an EA. The Bureau will review and consider the EA as in paragraph (c) of this section.
- (e) No State or local government or instrumentality thereof may regulate the placement, construction, and modification of personal wireless service facilities on the basis of the environmental effects of radio frequency emissions to the extent that such facilities comply with the regulations contained in this chapter concerning the environmental effects of such emissions. For purposes of this paragraph:
- (1) The term *personal wireless service* means commercial mobile services, unlicensed wireless services, and common carrier wireless exchange access services;
- (2) The term *personal wireless service facilities* means facilities for the provision of personal wireless services;
- (3) The term *unlicensed wireless services* means the offering of telecommunications services using duly authorized devices which do not require individual licenses, but does not mean the provision of direct-to-home satellite services; and

## § 1.1308

(4) The term *direct-to-home satellite* services means the distribution or broadcasting of programming or services by satellite directly to the subscriber's premises without the use of ground receiving or distribution equipment, except at the subscriber's premises or in the uplink process to the satellite.

#### [51 FR 15000, Apr. 22, 1986]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §1.1307, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

EFFECTIVE DATE NOTE: At 69 FR 5709, Feb. 6, 2004, §1.1307 was amended by adding a fourth sentence to paragraph (b) introductory text. This amendment contains information collection and recordkeeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

## § 1.1308 Consideration of environmental assessments (EAs); findings of no significant impact.

(a) Applicants shall prepare EAs for actions that may have a significant environmental impact (see §1.1307). An EA is described in detail in §1.1311 of this part of the Commission rules.

(b) The EA is a document which shall explain the environmental consequences of the proposal and set forth sufficient analysis for the Bureau or the Commission to reach a determination that the proposal will or will not have a significant environmental effect. To assist in making that determination, the Bureau or the Commission may request further information from the applicant, interested persons, and agencies and authorities which have jurisdiction by law or which have relevant expertise.

Note: With respect to actions specified under §1.1307 (a)(3) and (a)(4), the Commission shall solicit and consider the comments of the Department of Interior, and the State Historic Preservation Officer and the Advisory Council on Historic Preservation, respectively, in accordance with their established procedures. See Interagency Cooperation—Endangered Species Act of 1973, as amended, 50 CFR part 402; Protection of Historic and Cultural Properties, 36 CFR part 800. In addition, when an action interferes with or adversely affects an American Indian tribe's religious site, the Commission shall

solicit the views of that American Indian tribe. See §1.1307(a)(5).

(c) If the Bureau or the Commission determines, based on an independent review of the EA and any applicable mandatory consultation requirements imposed upon Federal agencies (see note above), that the proposal will have a significant environmental impact upon the quality of the human environment, it will so inform the applicant. The applicant will then have an opportunity to amend its application so as to reduce, minimize, or eliminate environmental problems. See §1.1309. If the environmental problem is not eliminated, the Bureau will publish in the FEDERAL REGISTER a Notice of Intent (see §1.1314) that EISs will be prepared (see §§ 1.1315 and 1.1317), or

(d) If the Bureau or Commission determines, based on an independent review of the EA, and any mandatory consultation requirements imposed upon Federal agencies (see the note to paragraph (b) of this section), that the proposal would not have a significant impact, it will make a finding of no significant impact. Thereafter, the application will be processed without further documentation of environmental effect. Pursuant to CEQ regulations, see 40 CFR 1501.4 and 1501.6, the applicant must provide the community notice of the Commission's finding of no significant impact.

[51 FR 15000, Apr. 22, 1986; 51 FR 18889, May 23, 1986, as amended at 53 FR 28394, July 28, 1988]

# §1.1309 Application amendments.

Applicants are permitted to amend their applications to reduce, minimize or eliminate potential environmental problems. As a routine matter, an applicant will be permitted to amend its application within thirty (30) days after the Commission or the Bureau informs the applicant that the proposal will have a significant impact upon the quality of the human environment (see §1.1308(c)). The period of thirty (30) days may be extended upon a showing of good cause.